



DORSET BIRD CLUB

The Dorset List

The Dorset List is the official list of wild birds recorded in Dorset and is maintained by the Dorset Records Panel on behalf of the Dorset Bird Club. It is based on The British List maintained by the British Ornithologists' Union (BOU). The taxonomy follows the latest International Ornithological Congress (IOC) World Bird List.

The Dorset List currently stands at **429** species as of January 2021.

The key indicates the type of records to be submitted for inclusion in the annual Dorset Bird Report:

| | |
|-----|--|
| A | All records |
| B | Breeding records |
| C | Counts of roosts, flocks or monthly maxima |
| D | Dorset rarity (description required, assessed by DRP) |
| F&L | First and last dates recorded (migrants) |
| I | All inland records |
| M | Migration or weather movements |
| S | All records from May to August |
| U | Unusual records (albino, behaviour, etc) |
| W | All winter records |
| * | National rarity (description required, assessed by BBRC) |

| British (English) vernacular name | Scientific name | Type of records |
|-----------------------------------|-----------------------------|-----------------|
| Black Grouse | <i>Lyrurus tetrix</i> | D |
| Red-legged Partridge | <i>Alectoris rufa</i> | B C |
| Grey Partridge | <i>Perdix perdix</i> | A |
| Quail | <i>Coturnix coturnix</i> | A |
| Pheasant | <i>Phasianus colchicus</i> | U |
| Golden Pheasant | <i>Chrysolophus pictus</i> | A |
| Brent Goose | <i>Branta bernicla</i> | C F&L I |
| Red-breasted Goose | <i>Branta ruficollis</i> | * |
| Canada Goose | <i>Branta canadensis</i> | B C |
| Barnacle Goose | <i>Branta leucopsis</i> | A |
| Snow Goose | <i>Anser caerulescens</i> | D |
| Greylag Goose | <i>Anser anser</i> | A |
| Pink-footed Goose | <i>Anser brachyrhynchus</i> | D |
| Tundra Bean Goose | <i>Anser serrirostris</i> | D |
| White-fronted Goose | <i>Anser albifrons</i> | A |
| Mute Swan | <i>Cygnus olor</i> | B C M |
| Bewick's Swan | <i>Cygnus columbianus</i> | D |
| Whooper Swan | <i>Cygnus cygnus</i> | D |
| Egyptian Goose | <i>Alopochen aegyptiaca</i> | A |
| Shelduck | <i>Tadorna tadorna</i> | B C M |
| Ruddy Shelduck | <i>Tadorna ferruginea</i> | A |
| Mandarin Duck | <i>Aix galericulata</i> | A |
| Garganey | <i>Spatula querquedula</i> | A |
| Blue-winged Teal | <i>Spatula discors</i> | * |
| Shoveler | <i>Spatula clypeata</i> | C M S |
| Gadwall | <i>Mareca strepera</i> | B C |
| Wigeon | <i>Mareca penelope</i> | C M S |

| | | |
|------------------------|--------------------------------|-----------------------------|
| American Wigeon | <i>Mareca americana</i> | D |
| Mallard | <i>Anas platyrhynchos</i> | B C M |
| Pintail | <i>Anas acuta</i> | C M S |
| Teal | <i>Anas crecca</i> | B C M |
| Green-winged Teal | <i>Anas carolinensis</i> | D |
| Red-crested Pochard | <i>Netta rufina</i> | A |
| Pochard | <i>Aythya ferina</i> | B C M |
| Ferruginous Duck | <i>Aythya nyroca</i> | * |
| Ring-necked Duck | <i>Aythya collaris</i> | D |
| Tufted Duck | <i>Aythya fuligula</i> | B C M |
| Scaup | <i>Aythya marila</i> | A |
| Lesser Scaup | <i>Aythya affinis</i> | * |
| King Eider | <i>Somateria spectabilis</i> | * |
| Eider | <i>Somateria mollissima</i> | A |
| Surf Scoter | <i>Melanitta perspicillata</i> | D |
| Velvet Scoter | <i>Melanitta fusca</i> | A |
| Common Scoter | <i>Melanitta nigra</i> | C M |
| Long-tailed Duck | <i>Clangula hyemalis</i> | A |
| Bufflehead | <i>Bucephala albeola</i> | * |
| Goldeneye | <i>Bucephala clangula</i> | C M S |
| Smew | <i>Mergellus albellus</i> | A |
| Goosander | <i>Mergus merganser</i> | A |
| Red-breasted Merganser | <i>Mergus serrator</i> | C I M S |
| Ruddy Duck | <i>Oxyura jamaicensis</i> | A |
| Common Nighthawk | <i>Chordeiles minor</i> | * |
| Nightjar | <i>Caprimulgus europaeus</i> | A |
| Egyptian Nightjar | <i>Caprimulgus aegyptius</i> | * |
| Alpine Swift | <i>Tachymarptis melba</i> | D |
| Swift | <i>Apus apus</i> | B C F&L M |
| Pallid Swift | <i>Apus pallidus</i> | * |
| Little Swift | <i>Apus affinis</i> | * |
| Great Bustard | <i>Otis tarda</i> | A (* if non-reintroduction) |
| Little Bustard | <i>Tetrax tetrax</i> | * |
| Great Spotted Cuckoo | <i>Clamator glandarius</i> | * |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | * |
| Cuckoo | <i>Cuculus canorus</i> | B F&L M |
| Pallas's Sandgrouse | <i>Syrrhaptes paradoxus</i> | * |
| Rock Dove/Feral Pigeon | <i>Columba livia</i> | C U |
| Stock Dove | <i>Columba oenas</i> | C M |
| Woodpigeon | <i>Columba palumbus</i> | C M |
| Turtle Dove | <i>Streptopelia turtur</i> | A |
| Collared Dove | <i>Streptopelia decaocto</i> | C M |
| Water Rail | <i>Rallus aquaticus</i> | B C M |
| Corncrake | <i>Crex crex</i> | D |
| Spotted Crake | <i>Porzana porzana</i> | D |
| Moorhen | <i>Gallinula chloropus</i> | B C M |
| Coot | <i>Fulica atra</i> | B C M |
| Allen's Gallinule | <i>Porphyrio alleni</i> | * |
| Baillon's Crake | <i>Zapornia pusilla</i> | * |
| Little Crake | <i>Zapornia parva</i> | * |
| Crane | <i>Grus grus</i> | A (D if non-reintroduction) |
| Little Grebe | <i>Tachybaptus ruficollis</i> | B C |
| Pied-billed Grebe | <i>Podilymbus podiceps</i> | * |
| Red-necked Grebe | <i>Podiceps grisegena</i> | A |
| Great Crested Grebe | <i>Podiceps cristatus</i> | B C |
| Slavonian Grebe | <i>Podiceps auritus</i> | A |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | A |
| Stone-curlew | <i>Burhinus oedicnemus</i> | D |
| Oystercatcher | <i>Haematopus ostralegus</i> | B C M |
| Black-winged Stilt | <i>Himantopus himantopus</i> | D |
| Avocet | <i>Recurvirostra avosetta</i> | A |
| Lapwing | <i>Vanellus vanellus</i> | B C M |
| Sociable Plover | <i>Vanellus gregarius</i> | * |
| White-tailed Plover | <i>Vanellus leucurus</i> | * |
| Golden Plover | <i>Pluvialis apricaria</i> | C M |
| Pacific Golden Plover | <i>Pluvialis fulva</i> | * |
| American Golden Plover | <i>Pluvialis dominica</i> | D |
| Grey Plover | <i>Pluvialis squatarola</i> | C M |
| Ringed Plover | <i>Charadrius hiaticula</i> | B C M |
| Little Ringed Plover | <i>Charadrius dubius</i> | A |
| Kentish Plover | <i>Charadrius alexandrinus</i> | * |

| | | |
|--------------------------|-------------------------------------|---------|
| Dotterel | <i>Charadrius morinellus</i> | D |
| Upland Sandpiper | <i>Bartramia longicauda</i> | * |
| Whimbrel | <i>Numenius phaeopus</i> | C F&L M |
| Curlew | <i>Numenius arquata</i> | B C M |
| Bar-tailed Godwit | <i>Limosa lapponica</i> | C M |
| Black-tailed Godwit | <i>Limosa limosa</i> | C M |
| Turnstone | <i>Arenaria interpres</i> | C M |
| Knot | <i>Calidris canutus</i> | A |
| Ruff | <i>Calidris pugnax</i> | A |
| Broad-billed Sandpiper | <i>Calidris falcinellus</i> | * |
| Sharp-tailed Sandpiper | <i>Calidris acuminata</i> | * |
| Stilt Sandpiper | <i>Calidris himantopus</i> | * |
| Curlew Sandpiper | <i>Calidris ferruginea</i> | A |
| Temminck's Stint | <i>Calidris temminckii</i> | D |
| Red-necked Stint | <i>Calidris ruficollis</i> | * |
| Sanderling | <i>Calidris alba</i> | A |
| Dunlin | <i>Calidris alpina</i> | C M |
| Purple Sandpiper | <i>Calidris maritima</i> | A |
| Baird's Sandpiper | <i>Calidris bairdii</i> | * |
| Little Stint | <i>Calidris minuta</i> | A |
| Least Sandpiper | <i>Calidris minutilla</i> | * |
| White-rumped Sandpiper | <i>Calidris fuscicollis</i> | D |
| Buff-breasted Sandpiper | <i>Calidris subruficollis</i> | D |
| Pectoral Sandpiper | <i>Calidris melanotos</i> | D |
| Semipalmated Sandpiper | <i>Calidris pusilla</i> | * |
| Western Sandpiper | <i>Calidris mauri</i> | * |
| Long-billed Dowitcher | <i>Limnodromus scolopaceus</i> | * |
| Short-billed Dowitcher | <i>Limnodromus griseus</i> | * |
| Woodcock | <i>Scolopax rusticola</i> | A |
| Jack Snipe | <i>Lymnocyptes minimus</i> | A |
| Great Snipe | <i>Gallinago media</i> | * |
| Snipe | <i>Gallinago gallinago</i> | B C M |
| Terek Sandpiper | <i>Xenus cinereus</i> | * |
| Wilson's Phalarope | <i>Phalaropus tricolor</i> | * |
| Red-necked Phalarope | <i>Phalaropus lobatus</i> | D |
| Grey Phalarope | <i>Phalaropus fulicarius</i> | A |
| Common Sandpiper | <i>Actitis hypoleucos</i> | C M W |
| Spotted Sandpiper | <i>Actitis macularius</i> | * |
| Green Sandpiper | <i>Tringa ochropus</i> | C M |
| Lesser Yellowlegs | <i>Tringa flavipes</i> | D |
| Redshank | <i>Tringa totanus</i> | B C M |
| Marsh Sandpiper | <i>Tringa stagnatilis</i> | * |
| Wood Sandpiper | <i>Tringa glareola</i> | A |
| Spotted Redshank | <i>Tringa erythropus</i> | C M |
| Greenshank | <i>Tringa nebularia</i> | C M |
| Cream-coloured Courser | <i>Cursorius cursor</i> | * |
| Collared Pratincole | <i>Glaucous pratincola</i> | * |
| Kittiwake | <i>Rissa tridactyla</i> | B C M |
| Ivory Gull | <i>Pagophila eburnea</i> | * |
| Sabine's Gull | <i>Xema sabini</i> | D |
| Bonaparte's Gull | <i>Chroicocephalus philadelphia</i> | * |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | B C M |
| Little Gull | <i>Hydrocoloeus minutus</i> | A |
| Ross's Gull | <i>Rhodostethia rosea</i> | * |
| Laughing Gull | <i>Leucophaeus atricilla</i> | * |
| Franklin's Gull | <i>Leucophaeus pipixcan</i> | * |
| Mediterranean Gull | <i>Ichthyaetus melanocephalus</i> | A |
| Common Gull | <i>Larus canus</i> | C M S |
| Ring-billed Gull | <i>Larus delawarensis</i> | D |
| Great Black-backed Gull | <i>Larus marinus</i> | B C M |
| Glaucous Gull | <i>Larus hyperboreus</i> | D |
| Iceland Gull | <i>Larus glaucooides</i> | D |
| Herring Gull | <i>Larus argentatus</i> | B C M |
| American Herring Gull | <i>Larus smithsonianus</i> | * |
| Caspian Gull | <i>Larus cachinnans</i> | D |
| Yellow-legged Gull | <i>Larus michahellis</i> | A |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | B C M |
| Gull-billed Tern | <i>Gelochelidon nilotica</i> | * |
| Caspian Tern | <i>Hydroprogne caspia</i> | * |
| Royal Tern | <i>Thalasseus maximus</i> | * |
| Lesser Crested Tern | <i>Thalasseus bengalensis</i> | * |

| | | |
|-------------------------|----------------------------------|---|
| Sandwich Tern | <i>Thalasseus sandvicensis</i> | B C F&L I M |
| Elegant Tern | <i>Thalasseus elegans</i> | * |
| Little Tern | <i>Sternula albifrons</i> | B C F&L I M |
| Bridled Tern | <i>Onychoprion anaethetus</i> | * |
| Sooty Tern | <i>Onychoprion fuscatus</i> | * |
| Roseate Tern | <i>Sterna dougallii</i> | A |
| Common Tern | <i>Sterna hirundo</i> | B C F&L I M |
| Arctic Tern | <i>Sterna paradisaea</i> | A |
| Forster's Tern | <i>Sterna forsteri</i> | * |
| Whiskered Tern | <i>Chlidonias hybrida</i> | * |
| White-winged Black Tern | <i>Chlidonias leucopterus</i> | D |
| Black Tern | <i>Chlidonias niger</i> | A |
| Great Skua | <i>Stercorarius skua</i> | A |
| Pomarine Skua | <i>Stercorarius pomarinus</i> | A |
| Arctic Skua | <i>Stercorarius parasiticus</i> | A |
| Long-tailed Skua | <i>Stercorarius longicaudus</i> | D |
| Little Auk | <i>Alle alle</i> | D |
| Brünnich's Guillemot | <i>Uria lomvia</i> | * |
| Common Guillemot | <i>Uria aalge</i> | B I M |
| Razorbill | <i>Alca torda</i> | B I M |
| Black Guillemot | <i>Cephus grylle</i> | A (D away from Poole & Portland Harbours) |
| Puffin | <i>Fratercula arctica</i> | A |
| Red-throated Diver | <i>Gavia stellata</i> | A |
| Black-throated Diver | <i>Gavia arctica</i> | A |
| Great Northern Diver | <i>Gavia immer</i> | A |
| White-billed Diver | <i>Gavia adamsii</i> | D |
| Black-browed Albatross | <i>Thalassarche melanophris</i> | * |
| Storm Petrel | <i>Hydrobates pelagicus</i> | A |
| Leach's Petrel | <i>Oceanodroma leucorhoa</i> | D |
| Fulmar | <i>Fulmarus glacialis</i> | B I M |
| Cory's Shearwater | <i>Calonectris borealis</i> | D |
| Sooty Shearwater | <i>Ardenna grisea</i> | A |
| Great Shearwater | <i>Ardenna gravis</i> | D |
| Manx Shearwater | <i>Puffinus puffinus</i> | A |
| Balearic Shearwater | <i>Puffinus mauretanicus</i> | A |
| Barolo Shearwater | <i>Puffinus baroli</i> | * |
| Black Stork | <i>Ciconia nigra</i> | * |
| White Stork | <i>Ciconia ciconia</i> | A (D if non-reintroduction) |
| Gannet | <i>Morus bassanus</i> | I M |
| Cormorant | <i>Phalacrocorax carbo</i> | B C I |
| Shag | <i>Phalacrocorax aristotelis</i> | B C I |
| Glossy Ibis | <i>Plegadis falcinellus</i> | D |
| Spoonbill | <i>Platalea leucorodia</i> | A |
| Bittern | <i>Botaurus stellaris</i> | A |
| American Bittern | <i>Botaurus lentiginosus</i> | * |
| Little Bittern | <i>Ixobrychus minutus</i> | * |
| Night-heron | <i>Nycticorax nycticorax</i> | D |
| Squacco Heron | <i>Ardeola ralloides</i> | * |
| Cattle Egret | <i>Bubulcus ibis</i> | A |
| Grey Heron | <i>Ardea cinerea</i> | A |
| Purple Heron | <i>Ardea purpurea</i> | D |
| Great White Egret | <i>Ardea alba</i> | A |
| Little Egret | <i>Egretta garzetta</i> | A |
| Osprey | <i>Pandion haliaetus</i> | A |
| Honey-buzzard | <i>Pernis apivorus</i> | A (D away from known breeding sites) |
| Short-toed Eagle | <i>Circus gallicus</i> | * |
| Sparrowhawk | <i>Accipiter nisus</i> | B M |
| Goshawk | <i>Accipiter gentilis</i> | A (D away from known breeding sites) |
| Marsh Harrier | <i>Circus aeruginosus</i> | A |
| Hen Harrier | <i>Circus cyaneus</i> | A |
| Northern Harrier | <i>Circus hudsonius</i> | * |
| Pallid Harrier | <i>Circus macrourus</i> | * |
| Montagu's Harrier | <i>Circus pygargus</i> | D |
| Red Kite | <i>Milvus milvus</i> | A |
| Black Kite | <i>Milvus migrans</i> | D |
| White-tailed Eagle | <i>Haliaeetus albicilla</i> | D |
| Rough-legged Buzzard | <i>Buteo lagopus</i> | D |
| Buzzard | <i>Buteo buteo</i> | B C M |
| Barn Owl | <i>Tyto alba</i> | A |
| Scops Owl | <i>Otus scops</i> | * |
| Tawny Owl | <i>Strix aluco</i> | B C |

| | | |
|-----------------------------|-----------------------------------|-----------|
| Little Owl | <i>Athene noctua</i> | A |
| Long-eared Owl | <i>Asio otus</i> | D |
| Short-eared Owl | <i>Asio flammeus</i> | A |
| Hoopoe | <i>Upupa epops</i> | A |
| Roller | <i>Coracias garrulus</i> | * |
| Kingfisher | <i>Alcedo atthis</i> | A |
| Bee-eater | <i>Merops apiaster</i> | D |
| Wryneck | <i>Jynx torquilla</i> | A |
| Lesser Spotted Woodpecker | <i>Dryobates minor</i> | A |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | B M |
| Green Woodpecker | <i>Picus viridis</i> | B |
| Kestrel | <i>Falco tinnunculus</i> | B M |
| Red-footed Falcon | <i>Falco tinnunculus</i> | D |
| Merlin | <i>Falco columbarius</i> | A |
| Hobby | <i>Falco subbuteo</i> | A |
| Gyr Falcon | <i>Falco rusticolus</i> | * |
| Peregrine | <i>Falco peregrinus</i> | B I |
| Ring-necked Parakeet | <i>Psittacula krameri</i> | A |
| Red-backed Shrike | <i>Lanius collurio</i> | D |
| Daurian Shrike | <i>Lanius isabellinus</i> | * |
| Lesser Grey Shrike | <i>Lanius minor</i> | * |
| Great Grey Shrike | <i>Lanius excubitor</i> | A |
| Woodchat Shrike | <i>Lanius senator</i> | D |
| Red-eyed Vireo | <i>Vireo olivaceus</i> | * |
| Golden Oriole | <i>Oriolus oriolus</i> | D |
| Jay | <i>Garrulus glandarius</i> | B M |
| Magpie | <i>Pica pica</i> | C |
| Nutcracker | <i>Nucifraga caryocatactes</i> | * |
| Chough | <i>Pyrrhocorax pyrrhocorax</i> | D |
| Jackdaw | <i>Coloeus monedula</i> | C M |
| Rook | <i>Corvus frugilegus</i> | B C |
| Carrion Crow | <i>Corvus corone</i> | C |
| Hooded Crow | <i>Corvus cornix</i> | A |
| Raven | <i>Corvus corax</i> | A |
| Waxwing | <i>Bombycilla garrulus</i> | A |
| Coal Tit | <i>Parus ater</i> | C |
| Marsh Tit | <i>Poecile palustris</i> | A |
| Willow Tit | <i>Poecile montanus</i> | D |
| Blue Tit | <i>Cyanistes caeruleus</i> | C |
| Great Tit | <i>Parus major</i> | C |
| Penduline Tit | <i>Remiz pendulinus</i> | D |
| Bearded Tit | <i>Panurus biarmicus</i> | A |
| Woodlark | <i>Lullula arborea</i> | A |
| Skylark | <i>Alauda arvensis</i> | B C M |
| Shore Lark | <i>Eremophila alpestris</i> | D |
| Short-toed Lark | <i>Calandrella brachydactyla</i> | D |
| Calandra Lark | <i>Melanocorypha calandra</i> | * |
| Lesser Short-toed Lark | <i>Alaudala rufescens</i> | * |
| Sand Martin | <i>Riparia riparia</i> | B C F&L M |
| Swallow | <i>Hirundo rustica</i> | B C F&L M |
| House Martin | <i>Delichon urbicum</i> | B C F&L M |
| Red-rumped Swallow | <i>Cecropis daurica</i> | D |
| American Cliff Swallow | <i>Petrochelidon pyrrhonota</i> | * |
| Cetti's Warbler | <i>Cettia cetti</i> | A |
| Long-tailed Tit | <i>Aegithalos caudatus</i> | B C |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | A |
| Western Bonelli's Warbler | <i>Phylloscopus bonelli</i> | * |
| Eastern Bonelli's Warbler | <i>Phylloscopus orientalis</i> | * |
| Hume's Warbler | <i>Phylloscopus humei</i> | * |
| Yellow-browed Warbler | <i>Phylloscopus inornatus</i> | A |
| Pallas's Warbler | <i>Phylloscopus proregulus</i> | D |
| Radde's Warbler | <i>Phylloscopus schwarzi</i> | D |
| Dusky Warbler | <i>Phylloscopus fuscatus</i> | D |
| Willow Warbler | <i>Phylloscopus trochilus</i> | B F&L M |
| Chiffchaff | <i>Phylloscopus collybita</i> | B M W |
| Iberian Chiffchaff | <i>Phylloscopus ibericus</i> | * |
| Two-barred Greenish Warbler | <i>Phylloscopus plumbeitarsus</i> | * |
| Greenish Warbler | <i>Phylloscopus trochiloides</i> | D |
| Arctic Warbler | <i>Phylloscopus borealis</i> | D |
| Great Reed Warbler | <i>Acrocephalus arundinaceus</i> | * |
| Aquatic Warbler | <i>Acrocephalus paludicola</i> | * |

| | | |
|------------------------------|-----------------------------------|---------|
| Sedge Warbler | <i>Acrocephalus schoenobaenus</i> | B F&L M |
| Paddyfield Warbler | <i>Acrocephalus agricola</i> | * |
| Blyth's Reed Warbler | <i>Acrocephalus dumetorum</i> | D |
| Reed Warbler | <i>Acrocephalus scirpaceus</i> | B F&L M |
| Marsh Warbler | <i>Acrocephalus palustris</i> | D |
| Booted Warbler | <i>Iduna caligata</i> | * |
| Sykes's Warbler | <i>Iduna rama</i> | * |
| Eastern Olivaceous Warbler | <i>Iduna pallida</i> | * |
| Melodious Warbler | <i>Hippolais polyglotta</i> | D |
| Icterine Warbler | <i>Hippolais icterina</i> | D |
| Pallas's Grasshopper Warbler | <i>Helopsaltes certhiola</i> | * |
| Savi's Warbler | <i>Locustella luscinioides</i> | * |
| Grasshopper Warbler | <i>Locustella naevia</i> | A |
| Fan-tailed Warbler | <i>Cisticola juncidis</i> | * |
| Blackcap | <i>Sylvia atricapilla</i> | B M W |
| Garden Warbler | <i>Sylvia borin</i> | B F&L M |
| Barred Warbler | <i>Curruca nisoria</i> | D |
| Lesser Whitethroat | <i>Curruca curruca</i> | B F&L M |
| Western Orphean Warbler | <i>Curruca hortensis</i> | * |
| Asian Desert Warbler | <i>Curruca nana</i> | * |
| Sardinian Warbler | <i>Curruca melanocephala</i> | * |
| Western Subalpine Warbler | <i>Curruca iberiae</i> | * |
| Eastern Subalpine Warbler | <i>Curruca cantillans</i> | * |
| Whitethroat | <i>Curruca communis</i> | B F&L M |
| Spectacled Warbler | <i>Curruca conspicillata</i> | * |
| Dartford Warbler | <i>Curruca undata</i> | B M |
| Firecrest | <i>Regulus ignicapilla</i> | A |
| Goldcrest | <i>Regulus regulus</i> | B M |
| Wren | <i>Troglodytes troglodytes</i> | U |
| Nuthatch | <i>Sitta europaea</i> | B C |
| Wallcreeper | <i>Tichodroma muraria</i> | * |
| Treecreeper | <i>Certhia familiaris</i> | B C |
| Short-toed Treecreeper | <i>Certhia brachydactyla</i> | * |
| Brown Thrasher | <i>Toxostoma rufum</i> | * |
| Rose-coloured Starling | <i>Pastor roseus</i> | D |
| Starling | <i>Sturnus vulgaris</i> | C M |
| Grey-cheeked Thrush | <i>Catharus minimus</i> | * |
| Ring Ouzel | <i>Turdus torquatus</i> | A |
| Blackbird | <i>Turdus merula</i> | M U |
| Black-throated Thrush | <i>Turdus atrogularis</i> | * |
| Fieldfare | <i>Turdus pilaris</i> | C F&L M |
| Redwing | <i>Turdus iliacus</i> | C F&L M |
| Song Thrush | <i>Turdus philomelos</i> | B M |
| Mistle Thrush | <i>Turdus viscivorus</i> | B M |
| American Robin | <i>Turdus migratorius</i> | * |
| Spotted Flycatcher | <i>Muscicapa striata</i> | B F&L M |
| Robin | <i>Erithacus rubecula</i> | M U |
| Bluethroat | <i>Luscinia svecica</i> | D |
| Thrush Nightingale | <i>Luscinia luscinia</i> | * |
| Nightingale | <i>Luscinia megarhynchos</i> | A |
| Siberian Rubythroat | <i>Calliope calliope</i> | * |
| Red-flanked Bluetail | <i>Tarsiger cyanurus</i> | D |
| Red-breasted Flycatcher | <i>Ficedula parva</i> | D |
| Pied Flycatcher | <i>Ficedula hypoleuca</i> | A |
| Collared Flycatcher | <i>Ficedula albicollis</i> | * |
| Black Redstart | <i>Phoenicurus ochruros</i> | A |
| Redstart | <i>Phoenicurus phoenicurus</i> | B F&L M |
| Rock Thrush | <i>Monticola saxatilis</i> | * |
| Whinchat | <i>Saxicola rubetra</i> | B F&L M |
| Stonechat | <i>Saxicola rubicola</i> | B C M |
| Stejneger's Stonechat | <i>Saxicola stejnegeri</i> | * |
| Wheatear | <i>Oenanthe oenanthe</i> | B F&L M |
| Desert Wheatear | <i>Oenanthe deserti</i> | * |
| Eastern Black-eared Wheatear | <i>Oenanthe melanoleuca</i> | * |
| Pied Wheatear | <i>Oenanthe pleschanka</i> | * |
| Dipper | <i>Cinclus cinclus</i> | A |
| House Sparrow | <i>Passer domesticus</i> | C M |
| Tree Sparrow | <i>Passer montanus</i> | A |
| Alpine Accentor | <i>Prunella collaris</i> | * |
| Dunnock | <i>Prunella modularis</i> | U |
| Yellow Wagtail | <i>Motacilla flava</i> | A |

| | | |
|-------------------------|--------------------------------------|--------------------------|
| Citrine Wagtail | <i>Motacilla citreola</i> | D |
| Grey Wagtail | <i>Motacilla cinerea</i> | B C M |
| Pied Wagtail | <i>Motacilla alba</i> | B C M |
| Richard's Pipit | <i>Anthus richardi</i> | D |
| Blyth's Pipit | <i>Anthus godlewskii</i> | * |
| Tawny Pipit | <i>Anthus campestris</i> | * |
| Meadow Pipit | <i>Anthus pratensis</i> | B C M |
| Tree Pipit | <i>Anthus trivialis</i> | A |
| Olive-backed Pipit | <i>Anthus hodgsoni</i> | D |
| Pechora Pipit | <i>Anthus gustavi</i> | * |
| Red-throated Pipit | <i>Anthus cervinus</i> | * |
| Water Pipit | <i>Anthus spinoletta</i> | A |
| Rock Pipit | <i>Anthus petrosus</i> | B C M |
| Chaffinch | <i>Fringilla coelebs</i> | C M |
| Brambling | <i>Fringilla montifringilla</i> | A |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | A |
| Bullfinch | <i>Pyrrhula pyrrhula</i> | B C M |
| Common Rosefinch | <i>Carpodacus erythrinus</i> | D |
| Greenfinch | <i>Chloris chloris</i> | C M |
| Twite | <i>Linaria flavirostris</i> | D |
| Linnet | <i>Linaria cannabina</i> | B C M |
| Common Redpoll | <i>Acanthis flammea</i> | D |
| Lesser Redpoll | <i>Acanthis cabaret</i> | B C M |
| Arctic Redpoll | <i>Acanthis hornemanni</i> | * |
| Crossbill | <i>Loxia curvirostra</i> | A |
| Two-barrred Crossbill | <i>Loxia leucoptera</i> | * |
| Goldfinch | <i>Carduelis carduelis</i> | C M |
| Serín | <i>Serinus serinus</i> | A (D away from Portland) |
| Siskin | <i>Spinus spinus</i> | B C M |
| Lapland Bunting | <i>Calcarius lapponicus</i> | A |
| Snow Bunting | <i>Plectrophenax nivalis</i> | A |
| Corn Bunting | <i>Emberiza calandra</i> | A |
| Yellowhammer | <i>Emberiza citrinella</i> | B C |
| Pine Bunting | <i>Emberiza leucocephalos</i> | * |
| Ortolan Bunting | <i>Emberiza hortulana</i> | D |
| Cirl Bunting | <i>Emberiza cirlus</i> | D |
| Little Bunting | <i>Emberiza pusilla</i> | D |
| Rustic Bunting | <i>Emberiza rustica</i> | * |
| Yellow-breasted Bunting | <i>Emberiza aureola</i> | * |
| Black-headed Bunting | <i>Emberiza melanocephala</i> | * |
| Reed Bunting | <i>Emberiza schoeniclus</i> | B C M |
| Dark-eyed Junco | <i>Junco hyemalis</i> | * |
| Savannah Sparrow | <i>Passerculus sandwichensis</i> | * |
| Bobolink | <i>Dolichonyx oryzivorus</i> | * |
| Northern Waterthrush | <i>Parkesia noveboracensis</i> | * |
| Northern Parula | <i>Setophaga americana</i> | * |
| Yellow Warbler | <i>Setophaga aestiva</i> | * |